




National  
Metrology  
Institute



## Proficiency Test

# Gas analysis: Volatile Organic Components (VOCs)

Laboratories participate in Proficiency Tests (PTs) to demonstrate their competence, as required by, e.g., ISO/IEC 17025 §7.7. Measurement results from different laboratories are anonymously compared with each other to identify any deviations. The results in a PT will give you valuable insights into your laboratory's performance, ensure and even increase your quality, can be used as a reliable tool for quality and risk management and will meet the requirements of various accreditations and ISO/IEC 17025:2017. VSL organises PTs in accordance with the requirements of ISO/IEC 17043:2010 and is accredited by RvA (registration R006).

### VSL will provide:

- A suitable, high-quality gas mixture;
- Instructions and a PT-protocol;
- An anonymised evaluation of your performance;
- A comprehensive PT-report;
- Further metrological and quality management support upon request.

### Criterion of participation:

This PT scheme is open for all laboratories performing the analysis of volatile organic components in air (or nitrogen). It is presumed that laboratories are familiar with the safety issues and have experience in handling compressed gases in cylinders.

### Fee 2025:

€ 2.600,00 (including transport, excluding VAT)

### Transport 2025:

On request (outside EU)

### Registration:

Please go to our website [www.vsl.nl/en/services/proficiency-testing](http://www.vsl.nl/en/services/proficiency-testing) to complete the registration form.

### Schedule:

The schedule of this PT can be found on our website. VSL aims to make the PT items available within approximately 4 months or less after registration closes. The PT report will be released no later than six weeks after the deadline for submitting the results by the participants .

### Number of participants:

The anticipated number of participants ranges from 5 to 15. VSL retains the right to cancel the PT if the number of participants falls below expectations. In such an event, VSL will contact you to find suitable alternatives.

## About VSL

VSL, the National Metrology Institute for The Netherlands, is a globally accredited PT provider (ISO/IEC 17043:2010, our scope reg. nr. R006).

Our independent proficiency tests cover a broad range of areas including pressure, mass, viscosity, temperature, electricity, length, chemical analysis, humidity and gas flow. Customers also ask VSL for advice and implementation of custom PTs.

We encompass all calibration capabilities across various technological fields listed in our extensive ISO/IEC 17025:2017 accredited calibration scope (reg.nr. K999) and our ISO 17034:2016 scope (reg. nr. P002).



For more information on VSL and our offer, please visit our website at [www.vsl.nl/en/services/proficiency-testing](http://www.vsl.nl/en/services/proficiency-testing). Should you have any questions or wish to join our PTs, feel free to contact us.



### Terms of payment:

Payment in advance. An invoice will be sent 1 month before the start of the PT. Payment is due within 30 days after invoice date. Failure to pay on time may result in a participant being excluded from participation, without any right to compensation.

### PT-item:

The participating labs receive two sample levels (in duplicate) with 2 blanks, in total 6 tubes. The sample contains a mixture of 8-10 VOC selected out of a total of 20 VOC (Aliphatic hydrocarbons, Aromatic hydrocarbons, Halogenated hydrocarbons, Oxygenated hydrocarbons).

Each participant can choose out of 1) sample tubes packed with active charcoal for solvent desorption (100/50 mg -NIOSH type) and/or 2) sample tubes desorption suitable for thermal analysis. The active charcoal tubes will be provided by VSL. For the thermal desorption tubes, participants must provide six (6) clean (conditioned) and ready for use tubes. Four tubes will be sampled with a gas mixture of VOCs in air. One tube to calibrate our flow system and one as shipping blank.

Typical concentration ranges per component for both types of sample tubes are:

- Charcoal tubes: 1 to 50 µg per VOC;
- Thermal desorption tubes: 10 to 500 ng per VOC.

The tubes will be sampled by pumped sampling, according to ISO 16017 part 1, from dynamically generated calibration gas mixtures containing VOCs in dry, clean air as prescribed in ISO standard 6145.

The participating lab will identify the components present in the sample and report the measured concentration and possibly the relative uncertainty. To help the identification step, one of more components, namely Benzene, Toluene, o-Xylene or 1,2,4-Trimethylbenzene, will be included in the sample.

### Sample:

Participants will provide four (4) clean (conditioned) and ready for use traps (e.g. gold or carbon, with a diameter smaller than 1 cm). Two traps will be sampled with a gas mixture of Hg0 in air, one sample level in duplicate. One trap to calibrate our flow system and one as shipping blank.

### VSL

Thijsseweg 11  
2629 JA Delft  
The Netherlands  
T +31 (0)15 269 15 00  
E [vsl@vsl.nl](mailto:vsl@vsl.nl)  
W [www.vsl.nl](http://www.vsl.nl)

CoC: 27.228.703  
TAX: NL800189620B01  
IBAN: NL24ABNA0620273321

### Choice of method and equipment:

Participants are advised to use their routine methods for sampling and analysis and the equipment that is used in routine measurement for this purpose. Laboratories should calibrate their equipment as done normally.

### Instructions and protocol:

VSL will provide the protocol before the shipment of the cylinders. Each participant will have at least 3 weeks to perform the measurements and report the result. VSL will provide a report form for collecting the results.

### Performance evaluation:

The evaluation of the results will be carried out by means of a normalised error ( $E_n$ -score).

The interpretation of  $E_n$  is as follows:

$ E_n  \leq 1$	Satisfactory performance
$ E_n  > 1$	Unsatisfactory performance

### Confidentiality arrangements:

The identity of the participant is confidential, and so is the relationship between any participant, its submitted results and the performance evaluation. Results in the PT scheme will be collated, processed, reported and released in anonymised form. The PT reports are provided to the participants only.

### VSL

Thijsseweg 11  
2629 JA Delft  
The Netherlands  
T +31 (0)15 269 15 00  
E [vsl@vsl.nl](mailto:vsl@vsl.nl)  
W [www.vsl.nl](http://www.vsl.nl)

CoC: 27.228.703  
TAX: NL800189620B01  
IBAN: NL24ABNA0620273321